

Date of last revision: 06.04.2009

# **Safety Data Sheet**

**ISO 11014** 

TS 60 life Top

1. Product and company identification

1.1 Name of substance:

Commercial product name: Döllken TS 60 life Top

1.2 Application:

Skirting- board for carpet to install in rooms. To set in the crossing of wall and flooring. With an adhesive strip to glue some bands

of carpet on it.

1.3 Company Name:

Fabricant: Döllken-Weimar GmbH

Street: Stangenallee 3
State / Postal code / city: D-99428 Nohra

Telephone: +49-(0) 36 43 / 41 70-0
Telefax: +49-(0) 36 43 / 41 70-33
E-Mail: info@doellken-weimar.de

2. Hazards identification

2.1 Classification:

not applicable

2.2 Further hazards to man and environment:

not applicable

3. Composition / information on ingredients

3.1 Chemical characteristics:

Pine wood fibre core with high density, encased in PP

with a stripe of hot-melt adhesive and an roof of TPE.

3.2 Form: solid, with an elastic roof

3.3 Colour: different according to deliver- programm

3.4 Odour: neutral

4. First- aid measures

4.1 After inhalation: no special measures required
4.2 After contact with the skin: no special measures required
4.3 After contact with the eyes: no special measures required
4.4 After swallowing: no special measures required



Date of last revision: 06.04.2009

# **Safety Data Sheet**

**ISO 11014** 

TS 60 life Top

5. Fire- fighting measures

5.1 Suitable extinguishing media:

Water spray, foam, extinguishing powder, carbon dioxide CO<sub>2</sub>

5.2 Unsuitable extinguishing media:

full water jet

5.3 Special exposure hazards arising from the substance, combustion products or resulting gases:

carbon oxide, smoke development when burning

5.4 Special protective equipment for fire fighting:

Use respiratory protiction independent of recirculated air.

# 6. Accidental release Measures

6.1 Personal precautions:

no special measures required

6.2 Environmental precautions:

no special measures required

6.3 Methods for cleaning up:

Take up mechanically and dispose of according to regulations.

## 7. Handling und storage

7.1 Handling:

Use breathing protection and protective glasses if dust arises

on processing.

7.2 Storage:

Follow general rules of prophylactical fire protection. Do not store together with combustible substances.

# 8. Exposure controls and personal protective equipment

8.1 Exposure limit

not provided

8.2 Exposure in the work place limited and controlled:

Breathing protection: use dust mask in case of dust formation

Hand protection: not required

Eye protection: use protective glasses in case of dust formation

Skin protection: not required



# **Safety Data Sheet**

**ISO 11014** 

TS 60 life Top

Odour:

Date of last revision: 06.04.2009

# 9. Physical and chemical properties

9.1 General information:

Physical state / form: solid

Colour: different

9.2 Information about the protection of health, safety and the environment

Melting point / melting range: > 180 °C, 85 - 95 °C hot-melt adhesive

neutral

Boiling point / boiling range: not provided
Flash point: about 200 °C

Ignition temperature: no data availible

Lower explosion limit: no data availible
Upper explosion limit: no data availible

Vapour pressure: not provided

Density: about 0,9 g/cm³

Water solubility / -miscibility: no data available

pH- Value: not provided

Distribut. coeff. n-octanol / water: no data availible
Viscosity (dynamic): no data availible
Thermal decomposition: about 300 °C

# 10. Stability und reactivity

10.1 General information:

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

10.2 Conditions to avoid:

not provided

10.3 Materials to avoid:

not provided

10.4 Hazardous decomposition products:

carbon oxide when burning



# **Safety Data Sheet**

**ISO 11014** 

TS 60 life Top

Date of last revision: 06.04.2009

# 11. Toxicological information

According to present experience no injurious effects are known.

# 12. Ecological information

#### 12.1 General information:

On appropriate use up to now no hazardous influence to environment known.

12.2 Bearing in sewage treatment plants:

Can be removed mechanically from water.

12.3 Mobility:

insoluble in water

# 13. Disposal considerations

#### 13.1 Product:

thermical disposal for energy production is possible, follow local, official regulations

#### 13.2 Product packaging

The cardboard package could be placed to the recycling. The way cover from the adhesive must be extra disposed.

#### 13.3 Transport packaging

The steel band could be placed to the recycling of metal. The wood boards and wooden blocks could be reused or be incinerated.

# 14. Transport information

## 14.1 Carriage by land

Road ADR: not regulated Railway RID: not regulated

#### 14.2 Carriage by water

Ship IMDG-Code: not regulated

## 14.3 Carriage by air

Airplane ICAO-TI / IATA-DGR: not regulated



# **Safety Data Sheet**

ISO 11014

TS 60 life Top

Date of last revision: 06.04.2009

15. Regulatory information

According to present data not a hazardous substance.

16. Other information

The data are based on recent knowledge an experience. The Safety Data Sheet describes products regarding safety necessities. The data have not the meaning of assurance of characteristics

This version substituts alle previous versions.